

Table 5

FRISK Score according to T Scores for Hip and Spine, Falls Score, and Number of Previous Fractures

No. of Previous Fractures and Femoral Neck T Score	Falls Score 1			Falls Score 2			Falls Score 3			Falls Score 4		
	Spine T Score			Spine T Score			Spine T Score			Spine T Score		
	0	-1.0	-2.5	0	-1.0	-2.5	0	-1.0	-2.5	0	-1.0	-2.5
0												
0	2.4	3.0	4.0	3.5	4.1	5.1	4.6	5.3	6.2	5.7	6.4	7.3
-1.0	2.9	3.6	4.5	4.1	4.7	5.7	5.2	5.8	6.8	6.3	7.0	7.9
-2.5	3.8	4.4	5.4	4.9	5.6	6.5	6.1	6.7	7.7	7.2	7.8	8.8
1												
0	2.7	3.4	4.3	3.8	4.5	5.4	5.0	5.6	6.6	6.1	6.7	7.7
-1.0	3.3	3.9	4.9	4.4	5.1	6.0	5.5	6.2	7.1	6.7	7.3	8.3
-2.5	4.1	4.8	5.7	5.3	5.9	6.9	6.4	7.0	8.0	7.5	8.2	9.1
2												
0	3.1	3.7	4.7	4.2	4.8	5.8	5.3	5.9	6.9	6.4	7.1	8.1
-1.0	3.6	4.3	5.2	4.8	5.4	6.4	5.9	6.5	7.5	7.0	7.6	8.6
-2.5	4.5	5.1	6.1	5.6	6.3	7.2	6.7	7.4	8.3	7.9	8.5	9.5
3												
0	3.4	4.0	5.0	4.5	5.2	6.1	5.7	6.3	7.3	6.8	7.4	8.4
-1.0	4.0	4.6	5.6	5.1	5.7	6.7	6.2	6.9	7.8	7.4	8.0	9.0
-2.5	4.8	5.5	6.4	6.0	6.6	7.6	7.1	7.7	8.7	8.2	8.9	9.8

Note.—All data were calculated by using the median weight of 64.3 kg. Scores of 5.4 or greater indicate that fracture is expected.