

Otras Publicaciones de ECOSER

A randomized comparative study of short term response to blind injection versus sonographic-guided injection of local corticosteroids in patients with painful shoulder.

Naredo E, Cabero F, Beneyto P, Cruz A, Mondéjar B, Uson J, Palop MJ, Crespo M. J Rheumatol. 2004 Feb;31(2):308-14.

No financiado

Assessment of inflammatory activity in rheumatoid arthritis: a comparative study of clinical evaluation with grey scale and power Doppler ultrasonography.

Naredo E, Bonilla G, Gamero F, Uson J, Carmona L, Laffon A. Ann Rheum Dis. 2005 Mar;64(3):375-81.

Financiado

Snap-shot of the ultrasound school of the Spanish Society of Rheumatology.

Uson J, Naredo E. Reumatismo. 2005 Jan-Mar;57(1):1-4

No financiado

Ultrasonographic findings in knee osteoarthritis: a comparative study with clinical and radiographic assessment.

Naredo E, Cabero F, Palop MJ, Collado P, Cruz A, Crespo M. Osteoarthritis Cartilage. 2005 Jul;13(7):568-74

No Financiado

Ultrasonographic assessment of inflammatory activity in rheumatoid arthritis: comparison of extended versus reduced joint evaluation.

Naredo E, Gamero F, Bonilla G, Uson J, Carmona L, Laffon A. Clin Exp Rheumatol. 2005 Nov-Dec;23(6):881-4

Financiado

Interobserver reliability in musculoskeletal ultrasonography: results from a "Teach the Teachers" rheumatologist course.

Naredo E, Möller I, Moragues C, de Agustín JJ, Scheel AK, Grassi W, de Miguel E, Backhaus M, Balint P, Bruyn GA, D'Agostino MA, Filippucci E, Iagnocco A, Kane D, Koski JM, Mayordomo L, Schmidt WA, Swen WA, Szkudlarek M, Terslev L, Torp-Pedersen S, Uson J, Wakefield RJ, Werner C; EULAR Working Group for Musculoskeletal Ultrasound. Ann Rheum Dis. 2006 Jan;65(1):14-9

No financiado

Ultrasonographic assessment of Baker's cysts after intra-articular corticosteroid injection in knee osteoarthritis.

Acebes JC, Sánchez-Pernaute O, Díaz-Oca A, Herrero-Beaumont G. J Clin Ultrasound. 2006 Mar-Apr;34(3):113-7

No financiado

Clinical and ultrasonographic findings related to knee pain in osteoarthritis.

de Miguel Mendieta E, Cobo Ibáñez T, Usón Jaeger J, Bonilla Hernán G, Martín Mola E. Osteoarthritis Cartilage. 2006 Jun;14(6):540-4

Financiado

Longitudinal power Doppler ultrasonographic assessment of joint inflammatory activity in early rheumatoid arthritis: predictive value in disease activity and radiologic progression.

Naredo E, Collado P, Cruz A, Palop MJ, Cabero F, Richi P, Carmona L, Crespo M. *Arthritis Rheum.* 2007 Feb 15;57(1):116-24

A sonographic enthesitic index of lower limbs is a valuable tool in the assessment of ankylosing spondylitis.

Alcalde M, Acebes JC, Cruz M, González-Hombrado L, Herrero-Beaumont G, Sánchez-Pernaute O. *Ann Rheum Dis.* 2007 Aug;66(8):1015-9.

No financiado

Assessment of the joint recesses and tendon sheaths in healthy children by high-resolution B-mode and power Doppler sonography.

Collado P, Naredo E, Calvo C, Crespo M. *Clin Exp Rheumatol.* 2007 Nov-Dec;25(6):915-21

No financiado

Ultrasound in the study and monitoring of osteoarthritis.

Möller I, Bong D, Naredo E, Filippucci E, Carrasco I, Moragues C, Iagnocco A. *Osteoarthritis Cartilage.* 2008;16 Suppl 3:S4-7.

No financiado

Power Doppler ultrasonographic monitoring of response to anti-tumor necrosis factor therapy in patients with rheumatoid arthritis.

Naredo E, Möller I, Cruz A, Carmona L, Garrido J. *Arthritis Rheum.* 2008 Aug;58(8):2248-56

Financiado

Ultrasound Group of the Spanish Society of Rheumatology: José Luis Fernandez-Sueiro, MD, PhD, José Antonio Pinto, MD, PhD (Hospital Juan Canalejo, La Coruña); Angel M. García-Aparicio, MD, José Rey, MD (Hospital Virgen de la Salud, Toledo); Juan José Alegre, MD, José Antonio Román-Ivorra, MD (Hospital Universitario Dr Peset, Valencia); Manuel Fernández-Prada, MD, Javier Vidal, MD (Hospital Universitario de Guadalajara, Guadalajara); Elia Brito, MD, Ana Rodríguez, MD, Javier Bachiller, MD (Hospital Ramón y Cajal, Madrid); Jacqueline Uson, MD, Mercedes Morcillo, MD (Hospital de Mostoles, Madrid); Eduardo Rejoán, MD, Lucía Mayordomo, MD, José Luis Marengo, MD (Hospital Universitario de Valme, Seville); Mercedes Jiménez-Palop, MD, Pilar Muñoz, MD (Hospital Puerta de Hierro, Madrid); Juan José de Agustín, MD, Estefanía Moreno, MD (Hospital Vall d'Hebron, Barcelona); Rosa Morla, MD, PhD, Josep Pujol, MD (Hospital de St Pau i Sta Tecla, Tarragona); Eugenio de Miguel, MD, PhD, Cristina Bohorquez, MD (Hospital La Paz, Madrid); Carlos Acebes, MD, Fredeswinda Romero, MD (Fundación Jiménez Díaz, Madrid); Sagrario Bustabad, MD, Juan J. Bethencourt, MD (Hospital Universitario de Tenerife, Tenerife); Ana M. Ortiz, MD, PhD, Mónica Ibáñez, MD (Hospital de la Princesa, Madrid); Carmen Moragues, MD, Francisco J. Narváez, MD, PhD (Hospital de Bellvitge, Barcelona); Laura González-Hombrado, MD, Marian Matías, MD (Hospital 12 de Octubre, Madrid); Lourdes Mateo, MD, PhD, Susana Holgado, MD (Hospital Germans Trias i Pujol, Barcelona); Enrique Batlle, MD, PhD, Jenny de la Torre, MD (Hospital General de Alicante, Alicante); Roser Tuneu, MD, Maria Angeles Puigdollers, MD (Hospital de Manresa, Barcelona); Andrés Ponce, MD, Vera Ortiz-Santamaría, MD (Hospital de Granollers, Barcelona); Manuel Castaño, MD, Luis Francisco Linares, MD (Hospital Virgen de La Arrixaca, Murcia); Miguel Angel Ferrer, MD, Juan Salvatierra, MD (Hospital Virgen de las Nieves, Granada); Eduardo Girona, MD, Daniel Batista, MD (Hospital Universitario de Gran Canaria, Las Palmas de Gran Canaria); Paz Collado, MD (Hospital Severo Ochoa, Madrid); Joan Maymo, MD, Miriam Almirall, MD (Instituto Poal, Barcelona).

Ultrasound validity in the measurement of knee cartilage thickness.

Naredo E, Acebes C, Möller I, Canillas F, de Agustín JJ, de Miguel E, Filippucci E, Iagnocco A, Moragues C, Tuneu R, Uson J, Garrido J, Delgado-Baeza E, Sáenz-Navarro I. Ann Rheum Dis. 2009 Aug;68(8):1322-7

No financiado

Validity of enthesis ultrasound assessment in Spondyloarthropathy.

E. de Miguel-Mendieta, T. Cobo Ibáñez, S. Muñoz-Fernández, JL. Andreu, E. Naredo, J. Usón, C. Acebes, E. Martín-Mola. Ann Rheum Dis.2009; 68:169-74.

No financiado

Validity of ultrasonography and measures of adult shoulder function and reliability of ultrasonography in detecting shoulder synovitis in patients with rheumatoid arthritis using magnetic resonance imaging as a gold standard.

Bruyn GA1, Pineda C, Hernandez-Diaz C, Ventura-Rios L, Moya C, Garrido J, Groen H, Pena A, Espinosa R, Möller I, Filippucci E, Iagnocco A, Balint PV, Kane D, D'Agostino MA, Angulo M, Ponte R, Fernandez-Gallardo JM, Naredo E. Arthritis Care Res (Hoboken). 2010;62(8):1079-86.

No financiado

Evaluation of several ultrasonography scoring systems for synovitis and comparison to clinical examination: results from a prospective multicentre study of rheumatoid arthritis

Dougados M¹, Jousse-Joulin S, Mistretta F, d'Agostino MA, Backhaus M, Bentin J, Chalès G, Chary-Valckenaere I, Conaghan P, Etchepare F, Gaudin P, Grassi W, van der Heijde D, Sellam J, Naredo E, Szkudlarek M, Wakefield R, Saraux A. Ann Rheum Dis. 2010 May;69(5):828-33

Musculoskeletal ultrasound utility in the diagnosis of gout.

Otón T, Sanchez JLA, Barbadillo C, Sanz J. Rev Clin Esp. 2010;210(10):45-46.

Ultrasound scores in spondyloarthritis

De Miguel Mendieta E, Rejón Geib E. Reumatol Clin. 2010;6 Suppl 1:37-40

Power Doppler ultrasonography assessment of entheses in spondyloarthropathies: response to therapy of enthesal abnormalities

Naredo E, Batlle-Gualda E, García-Vivar ML, García-Aparicio AM, Fernández-Sueiro JL, Fernández-Prada M, Giner E, Rodríguez-Gomez M, Pina MF, Medina-Luezas JA, Toyos FJ, Campos C, Gutiérrez-Polo R, Ferrer MA, Martínez O, Díaz-Torne C, Gonzalez T, Campos S, Queiro R, Castaño-Sánchez M, Aznar JJ, Bustabad S, Paez-Camino M, Tuneu R, Ruiz T, Mateo L, Pujol M, Ponce A, Ros I, Gallegos A, Moreno J, Gumbau D, Sianes M, Poveda-Elices MJ, Romero-Gómez M, Raya E; **Ultrasound Group of the Spanish Society of Rheumatology.** J Rheumatol. 2010;37(10):2110-7.

Financiado

Superiority of SDAI over DAS-28 in assessment of remission in rheumatoid arthritis patients using power Doppler ultrasonography as a gold standard.

Balsa A, de Miguel E, Castillo C, Peiteado D, Martín-Mola E. Rheumatology (Oxford). 2010;49(4):683-90.

Financiado

One year clinical and ultrasonographic follow up of the pilot study for the referral of patients with early spondyloarthritis (ESPIDEP)].

Cobo-Ibáñez T, Muñoz-Fernández S, [De Miguel E](#), Díez Sebastián J, Steiner M, Martín-Mola E. Reumatol Clin. 2011;7(4):230-5.

Financiado

High prevalence of ultrasonographic synovitis and enthesopathy in patients with psoriasis without psoriatic arthritis: a prospective case-control study.

[Naredo E¹](#), [Möller I](#), [de Miguel E](#), [Batlle-Gualda E](#), [Acebes C](#), [Brito E](#), [Mayordomo L](#), [Moragues C](#), [Uson J](#), [de Agustín JJ](#), [Martínez A](#), [Rejón E](#), [Rodríguez A](#), Daudén E; Ultrasound School of the Spanish Society of Rheumatology and Spanish ECO-APs Group. Rheumatology (Oxford). 2011; 50(10):1838-48.

Financiado

Inter-observer reliability of ultrasound detection of tendon abnormalities at the wrist and ankle in patients with rheumatoid arthritis.

Micu MC, Serra S, Fodor D, Crespo M, [Naredo E](#). Rheumatology (Oxford). 2011;50(6):1120-4.

No financiado

Multi-examiner reliability of automated radio frequency-based ultrasound measurements of common carotid intima-media thickness in rheumatoid arthritis

[Naredo E¹](#), [Möller I](#), Gutiérrez M, Bong DA, Cobo T, [Corominas H](#), [Corrales A](#), Di Geso L, Garcia-Vivar ML, Iagnocco A, [Macarrón P](#), Navio T, Garrido J, González-Juanatey C. Rheumatology (Oxford). 2011 Oct;50(10):1860-4

Financiado

Escuela de Ecografía de la Sociedad Española de Reumatología. Teaching ultrasonography to Spanish rheumatologists: 15 years of experience.

[Naredo E](#), [Uson J](#), Reumatol Clin. 2011;7(6):354-6.

No financiado

Ultrasound assessment of the sacroiliac joint.

Sáenz-Navarro I, [Möller I](#), Iagnocco A, [Naredo E](#), Barcelona Sonoanatomy Group. J. Clin Ultrasound. 2011;39(2):93-4

No financiado

Ultrasound evaluation of fluid in knee recesses at varying degrees of flexion

Mandl P¹, Brossard M, Aegerter P, Backhaus M, Bruyn GA, Chary-Valckenaere I, Iagnocco A, Filippucci E, Freeston J, Gandjbakhch F, Jousse-Joulin S, [Möller I](#), [Naredo E](#), Schmidt WA, Szkudlarek M, Terslev L, Wakefield RJ, Zayat A, D'Agostino MA, Balint PV. Arthritis Care Res (Hoboken). 2012; 64(5):773-9

No financiado

The utility and sensitivity of colour Doppler ultrasound in monitoring changes in giant cell arteritis

[De Miguel E](#), Roxo A, Castillo C, Peiteado D, Villalba A, Martín-Mola E.. Clin Exp Rheumatol. 2012; 30(1 Suppl 70):S34-38.

No financiado

A multicentre study on high-frequency ultrasound evaluation of the skin and joints in patients with psoriatic arthritis treated with infliximab.

De Agustín JJ¹, Moragues C, De Miguel E, Möller I, Acebes C, Naredo E, Uson J, Rejon E, Mayordomo L, Garrido J. Clin Exp Rheumatol. 2012; 30(6):879-85

Financiado

Practice of ultrasound-guided arthrocentesis and joint injection, including training and implementation, in Europe: results of a survey of experts and scientific societies.

Mandl P¹, Naredo E, Conaghan PG, D'Agostino MA, Wakefield RJ, Bachta A, Backhaus M, Hammer HB, Bruyn GA, Damjanov N, Filippucci E, Grassi W, Iagnocco A, Jousse-Joulin S, Kane D, Koski JM, Möller I, De Miguel E, Schmidt WA, Swen WA, Szkudlarek M, Terslev L, Ziswiler HR, Ostergaard M, Balint PV. Rheumatology (Oxford). 2012;51(1):184-90.

No financiado

Present and future of echography in spondyloarthritis].

De Miguel Mendieta E, Castillo Gallego C

Reumatol Clin. 2012;8 Suppl 1:S32-36.

After treat-to-target: can a targeted ultrasound initiative improve RA outcomes?

Wakefield RJ, D'Agostino MA, Naredo E, Buch MH, Iagnocco A, Terslev L, Ostergaard M, Backhaus M, Grassi W, Dougados M, Burmester GR, Saleem B, de Miguel E, Estrach C, Ikeda K, Gutierrez M, Thompson R, Balint P, Emery P. Postgrad Med J. 2012;88(1042):482-6.

Financiado

Diagnosis of gout in patients with asymptomatic hyperuricaemia: a pilot ultrasound study.

De Miguel E, Puig JG, Castillo C, Peiteado D, Torres RJ, Martín-Mola E. Ann Rheum Dis. 2012;71(1):157-8.

Financiado

Impact of the use of musculoskeletal ultrasound by rheumatologists in patients with shoulder and hand complaints compared with traditional clinical care

Naranjo A¹, Jiménez-Núñez FG, Medina-Luezas J, Senabre JM, Rodríguez-García A, Vázquez M, Santos-Ramírez C, Alvarez de Buergo M, López-Lasanta M, Loza E. Clin Exp Rheumatol. 2012;30(5):768-71.

No financiado

Is ultrasound a validated imaging tool for the diagnosis and management of synovitis in juvenile idiopathic arthritis? A systematic literature review.

Collado P, Jousse-Joulin S, Alcalde M, Naredo E, D'Agostino MA. Arthritis Care Res (Hoboken). 2012;64(7):1011-9.

No financiado

Metrologic properties of ultrasound versus clinical evaluation of synovitis in rheumatoid arthritis: results of a multicenter, randomized study.

Mandl P¹, Balint PV, Brault Y, Backhaus M, D'Agostino MA, Grassi W, van der Heijde D, de Miguel E, Wakefield RJ, Logeart I, Dougados M. Arthritis Rheum. 2012;64(4):1272-82.

Financiado

Value of a short four-joint ultrasound test for gout diagnosis: a pilot study.

Peiteado D, De Miguel E, Villalba A, Ordóñez MC, Castillo C, Martín-Mola E. Clin Exp Rheumatol. 2012;30(6):830-7

Why use ultrasound in rheumatology?

[Naredo E](#), Iagnocco A. Rheumatology (Oxford). 2012;51 Suppl 7:vii1.

Reliability testing of tendon disease using two different scanning methods in patients with rheumatoid arthritis.

Bruyn GA¹, [Möller I](#), Garrido J, Bong D, d'Agostino MA, Iagnocco A, Karim Z, Terslev L, Swen N, Balint P, Baudoin P, van Reesema DS, Pineda C, Wakefield RJ, [Naredo E](#). Rheumatology (Oxford). 2012;51(9):1655-61.

Soft tissue pathology: regional pain syndromes, nerves and ligaments.

Bruyn GAW, [Moller I](#), Klauser A, Martinoli C. Rheumatology (Oxford). 2012;51 Suppl 7:vii22-25.

Situación de la ecografía en la reumatología española 2012

[Eugenio de Miguel](#), [Jose Luis Andreu](#), [Esperanza Naredo](#), [Ingrid Möller](#) y [Grupo de Trabajo de Ecografía de la Sociedad Española de Reumatología \(ECOSER\)](#). Reumatol Clin. 2012;8(6):310–314

Financiado